


SMD Magnetics Packaging Methods

TAPE AND REEL meets EIA RS-481 and IEC 60286 tape and reel packaging standards



TAPE AND REEL in inches [millimeters]							BULK OR TRAY			
MODEL	PACKAGE CODE		REEL SIZE	CARRIER TAPE WIDTH (W)	COMPONENT PITCH (P)	UNITS/ REEL	PACKAGE CODE		UNITS/ TRAY	UNITS/ BOX
	LEAD (Pb)- BEARING	LEAD (Pb)- FREE					LEAD (Pb)- BEARING	LEAD (Pb)- FREE		
ICM-0805	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
ICM-1206	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
ICM-2824	-	ER	13	0.630 [16.0]	0.472 [12.0]	2000	-	-	-	-
ICM-3528	-	ER	13	0.945 [24.0]	0.472 [12.0]	900	-	-	-	-
ICM-4743	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
ICMS2321	-	FG	13	2.205 [56.0]	1.417 [36.0]	60	-	EG	42	252
IDC-2512	-	ER	13	0.630 [16.0]	0.315 [8.0]	2500	-	-	-	-
IDC-5020	-	ER	13	0.630 [16.0]	0.472 [12.0]	500	-	-	-	-
IDC-7328	-	ER	13	0.945 [24.0]	0.945 [24.0]	250	-	-	-	-
IDCP-1813	-	ER	13	0.472 [12.0]	0.315 [8.0]	2000	-	-	-	-
IDCP-2218	-	ER	13	0.472 [12.0]	0.315 [8.0]	1500	-	-	-	-
IDCP-3020	-	ER	13	0.630 [16.0]	0.472 [12.0]	1000	-	-	-	-
IDCP-3114	-	ER	13	0.630 [16.0]	0.472 [12.0]	1000	-	-	-	-
IDCP-3722	-	ER	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
IDCP-3916	-	ER	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
IDCS-2512	-	ER	13	0.630 [16.0]	0.315 [8.0]	2000	-	-	-	-
IDCS-5020	-	ER	13	0.630 [16.0]	0.472 [12.0]	500	-	-	-	-
IDCS-7328	-	ER	13	1.260 [32.0]	0.787 [20.0]	250	-	-	-	-
IFBT0709ZI	-	FS	13	1.732 [44.0]	0.945 [24.0]	200	-	-	-	-
IFBT0912AB	-	FS	13	1.732 [44.0]	0.945 [24.0]	150	-	-	-	-
IFCB-0402	-	ER	7	0.315 [8.0]	0.079 [2.0]	10 000	-	-	-	-
IFDC-5050HZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
IFLR-2727EZ	-	ER	13	0.630 [16.0]	0.630 [16.0]	1000	-	-	-	-
IFLR-4027EZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	1000	-	-	-	-
IFLR-4031GC	-	ER	13	0.945 [24.0]	0.472 [12.0]	500	-	EB	-	100
IFLR-5151HZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	450	-	EB	-	100
IFSC-0806AZ	-	ER	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IFSC-1008AB	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
IFSC-1111AB	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
IFSC-1111AZ	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
IFSC-1515AH	-	ER	13	0.472 [12.0]	0.315 [8.0]	2000	-	-	-	-
IFSC-2020DB-01	-	ER	13	0.630 [16.0]	0.472 [12.0]	1000	-	-	-	-
IFSC-3232DB-01	-	ER	13	0.630 [16.0]	0.472 [12.0]	1200	-	-	-	-
IHCL-4040DZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EE	13	0.945 [24.0]	0.630 [16.0]	900	-	-	-	-
	-	EK	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-



TAPE AND REEL in inches [millimeters]							BULK OR TRAY			
MODEL	PACKAGE CODE		REEL SIZE	CARRIER TAPE WIDTH (W)	COMPONENT PITCH (P)	UNITS/ REEL	PACKAGE CODE		UNITS/ TRAY	UNITS/ BOX
	LEAD (Pb)- BEARING	LEAD (Pb)- FREE					LEAD (Pb)- BEARING	LEAD (Pb)- FREE		
IHCL-5050EZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	250	-	-	-	-
IHDV0808	-	FS	13	1.730 [44.0]	1.260 [32.0]	100	-	ES	-	150
IHHP-0603ZH-01	-	ER	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHHP-0806AB-01	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
IHHP-0806AZ-01	-	ER	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHHP-1008AB-01	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
IHHP-1008AZ-01	-	ER	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHLD-2525GG	-	ER	13	0.630 [16.0]	0.630 [16.0]	250	-	-	-	-
IHLD-3232HB	-	ER	13	0.945 [24.0]	0.630 [16.0]	250	-	-	-	-
IHLD-4032KB	-	ER	13	0.945 [24.0]	0.630 [16.0]	250	-	-	-	-
IHLE-2020CD	-	ER / EP	13	0.472 [12.0]	0.315 [8.0]	2000	-	-	-	-
IHLE-2525CD	-	ER / EP	13	0.630 [16.0]	0.472 [12.0]	1000	-	-	-	-
IHLE-3232DD	-	ER / EP	13	0.630 [16.0]	0.472 [12.0]	500	-	-	-	-
IHLE-4040DD	-	ER / EP / EW	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
IHLE-5050FH	-	ER / EP	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
IHLE-6767DD	-	ER / EP	13	1.260 [32.0]	0.945 [24.0]	250	-	-	-	-
IHLE-6767GD	-	ER / EP	13	1.260 [32.0]	0.945 [24.0]	200	-	-	-	-
IHLG-1616AB	-	ER	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
	-	EK	13	0.472 [12.0]	0.315 [8.0]	4800	-	-	-	-
IHLG-1616BZ	-	ER	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
IHLG-2020CZ	-	ER	13	0.472 [12.0]	0.315 [8.0]	2000	-	-	-	-
	-	EK	13	0.472 [12.0]	0.315 [8.0]	2500	-	-	-	-
IHLG-2525CZ	-	ER	13	0.630 [16.0]	0.315 [8.0]	2000	-	-	-	-
	-	EK	13	0.630 [16.0]	0.315 [8.0]	2500	-	-	-	-
IHLG-3232DZ	-	ER	13	0.630 [16.0]	0.472 [12.0]	500	-	-	-	-
	-	EK	13	0.630 [16.0]	0.472 [12.0]	1250	-	-	-	-
IHLG-4040DZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EE	13	0.945 [24.0]	0.630 [16.0]	900	-	-	-	-
	-	EK	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
IHLG-5050CE	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EK	13	0.945 [24.0]	0.630 [16.0]	1000	-	-	-	-
IHLL-0805AZ-1Z	-	EZ	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHLL-0806AZ-1Z	-	EZ	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHLL-1008AB-1Z	-	EZ	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHLL-1210AB-1Z	-	EZ	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHLM-2525CZ	-	ER	13	0.630 [16.0]	0.315 [8.0]	2000	-	-	-	-
IHLP-0806AB	-	EZ	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHLP-1008AB	-	EZ	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHLP-1210AB	-	EZ	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IHLP-1210BZ	-	EZ	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
IHLP-1212AB	-	ER / EZ	13	0.472 [12.0]	0.315 [8.0]	3000	-	-	-	-
	RZ / SL	EV / EP	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
IHLP-1212AE	-	ER / EZ	13	0.472 [12.0]	0.315 [8.0]	3000	-	-	-	-
IHLP-1212AZ	-	EV / EP	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
IHLP-1212BZ	-	ER / EZ	13	0.472 [12.0]	0.315 [8.0]	3000	-	-	-	-
	RZ / SL	EV / EP	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
IHLP-1616AB	RZ / SL	ER / EP / EW	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
	-	EK	13	0.472 [12.0]	0.315 [8.0]	4800	-	-	-	-



TAPE AND REEL in inches [millimeters]							BULK OR TRAY			
MODEL	PACKAGE CODE		REEL SIZE	CARRIER TAPE WIDTH (W)	COMPONENT PITCH (P)	UNITS/ REEL	PACKAGE CODE		UNITS/ TRAY	UNITS/ BOX
	LEAD (Pb)- BEARING	LEAD (Pb)- FREE					LEAD (Pb)- BEARING	LEAD (Pb)- FREE		
IHLP-1616BZ	RZ / SL	ER / EP / EW	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
IHLP-2020AB	-	ER / EP / EW	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
	-	EK	13	0.472 [12.0]	0.315 [8.0]	4800	-	-	-	-
IHLP-2020BZ	RZ / SL	ER / EP / EW	13	0.472 [12.0]	0.315 [8.0]	2000	-	-	-	-
	-	EK	13	0.472 [12.0]	0.315 [8.0]	3500	-	-	-	-
IHLP-2020CZ	RZ / SL	ER / EP / EW	13	0.472 [12.0]	0.315 [8.0]	2000	-	-	-	-
	-	EK	13	0.472 [12.0]	0.315 [8.0]	2500	-	-	-	-
IHLP-2525AEEZ-1Z	-	EZ	13	0.630 [16.0]	0.472 [12.0]	1500	-	-	-	-
IHLP-2525AH	RZ / SL	ER / EP / EW	13	0.630 [16.0]	0.315 [8.0]	2000	-	-	-	-
	-	EK	13	0.630 [16.0]	0.315 [8.0]	3400	-	-	-	-
IHLP-2525BD	RZ / SL	ER / EP / EW	13	0.630 [16.0]	0.315 [8.0]	2000	-	-	-	-
	-	EK	13	0.630 [16.0]	0.315 [8.0]	2700	-	-	-	-
IHLP-2525CZ	RZ / SL	ER / EP / EW	13	0.630 [16.0]	0.315 [8.0]	2000	-	-	-	-
	-	EK	13	0.630 [16.0]	0.315 [8.0]	2500	-	-	-	-
IHLP-2525EZ	RZ / SL	ER / EP / EW	13	0.630 [16.0]	0.472 [12.0]	500	-	-	-	-
	-	EK	13	0.630 [16.0]	0.472 [12.0]	900	-	-	-	-
IHLP-3232CZ	RZ / SL	ER / EP / EW	13	0.630 [16.0]	0.472 [12.0]	1000	-	-	-	-
	-	EK	13	0.630 [16.0]	0.472 [12.0]	1500	-	-	-	-
IHLP-3232DZ	RZ / SL	ER / EP / EW	13	0.630 [16.0]	0.472 [12.0]	500	-	-	-	-
	-	EK	13	0.630 [16.0]	0.472 [12.0]	1250	-	-	-	-
IHLP-3232EZ	RZ / SL	ER / EP / EW	13	0.630 [16.0]	0.472 [12.0]	1000	-	-	-	-
IHLP-4040DZ	RZ / SL	ER / EW	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EE / PE	13	0.945 [24.0]	0.630 [16.0]	900	-	-	-	-
	-	EK / EP	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
IHLP-4040ED	-	ER / EW	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EK / EP	13	0.945 [24.0]	0.630 [16.0]	700	-	-	-	-
IHLP-404NDZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EE	13	0.945 [24.0]	0.630 [16.0]	900	-	-	-	-
	-	EK / EP	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
IHLP-404WDZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EE / PE	13	0.945 [24.0]	0.630 [16.0]	900	-	-	-	-
	-	EK / EP	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
IHLP-4W40DZ	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EE	13	0.945 [24.0]	0.630 [16.0]	900	-	-	-	-
	-	EK	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
IHLP-4W40ED	-	ER	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EK	13	0.945 [24.0]	0.630 [16.0]	700	-	-	-	-
IHLP-5050CE	RZ / SL	ER / EP / EW	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
	-	EK	13	0.945 [24.0]	0.630 [16.0]	1000	-	-	-	-
IHLP-5050EZ	RZ / SL	ER / EP / EW	13	0.945 [24.0]	0.630 [16.0]	250	-	-	-	-
	-	EK	13	0.945 [24.0]	0.630 [16.0]	750	-	-	-	-
IHLP-5050FD	RZ / SL	ER / EP / EW	13	0.945 [24.0]	0.630 [16.0]	250	-	-	-	-
	-	EK	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
IHLP-6767DZ	RZ / SL	ER / EP / EW	13	1.260 [32.0]	0.945 [24.0]	250	-	-	-	-
	-	EK	13	1.260 [32.0]	0.945 [24.0]	400	-	-	-	-
IHLP-6767GZ	RZ / SL	ER / EP / EW	13	1.260 [32.0]	0.945 [24.0]	200	-	-	-	-
	-	EK	13	1.260 [32.0]	0.945 [24.0]	250	-	-	-	-
IHLP-7575GZ	-	ER / EP / EW	13	1.260 [32.0]	0.945 [24.0]	200	-	-	-	-
	-	EK	13	1.260 [32.0]	0.945 [24.0]	250	-	-	-	-



TAPE AND REEL in inches [millimeters]							BULK OR TRAY			
MODEL	PACKAGE CODE		REEL SIZE	CARRIER TAPE WIDTH (W)	COMPONENT PITCH (P)	UNITS/ REEL	PACKAGE CODE		UNITS/ TRAY	UNITS/ BOX
	LEAD (Pb)- BEARING	LEAD (Pb)- FREE					LEAD (Pb)- BEARING	LEAD (Pb)- FREE		
IHLP-7575JZ	-	EK	13	1.260 [32.0]	0.945 [24.0]	170	-	-	-	-
IHLP-8787MZ	RZ / SL	ER / EP / EW	13	1.730 [44.0]	1.260 [32.0]	100	-	-	-	-
IHLW-4040CF	-	ER / EP	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
IHLW-5050CE	-	ER / EP	13	0.945 [24.0]	0.630 [16.0]	500	-	-	-	-
IHSM-3825	RE	ER	13	0.945 [24.0]	0.472 [12.0]	750	PJ	EB	-	100
IHSM-4825	RE	ER	13	0.945 [24.0]	0.472 [12.0]	750	PJ	EB	-	100
IHSM-5832	RF	ER	13	1.260 [32.0]	0.472 [12.0]	500	PJ	EB	-	100
IHSM-7832	RG	ER	13	1.730 [44.0]	0.472 [12.0]	500	PJ	EB	-	100
IHSR-1616AB	-	ER	13	0.472 [12.0]	0.315 [8.0]	4000	-	-	-	-
IHSR-2020BZ	-	EK	13	0.472 [12.0]	0.315 [8.0]	3500	-	-	-	-
IHSR-2020CZ	-	EK	13	0.472 [12.0]	0.315 [8.0]	2500	-	-	-	-
IHSR-2525CZ	-	ER	13	0.630 [16.0]	0.315 [8.0]	2000	-	-	-	-
IHSR-4040DZ	-	ER	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
IHSR-6767GZ	-	ER	13	1.260 [32.0]	0.945 [24.0]	200	-	-	-	-
IHVR-4025JZ	-	EZ	13	0.945 [24.0]	0.472 [12.0]	500	-	-	-	-
ILAS-1206	-	ER	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
ILB-1206	-	ER	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
ILBB-0402	-	ER	7	0.315 [8.0]	0.079 [2.0]	10 000	-	-	-	-
ILBB-0603	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
ILBB-0805	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
ILBB-1210	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
ILBB-1806	-	ER	7	0.472 [12.0]	0.157 [4.0]	2000	-	-	-	-
ILBB-1812	-	ER	7	0.472 [12.0]	0.315 [8.0]	1000	-	-	-	-
ILC-0402	-	ER	7	0.315 [8.0]	0.079 [2.0]	10 000	-	-	-	-
ILC-0603	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
ILC-0805	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
ILHB-0603	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
ILHB-0805	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
ILHB-1206	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
ILHB-1806	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
ILHB-1812	-	ER	7	0.315 [8.0]	0.157 [4.0]	1000	-	-	-	-
ILSB-0603	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
ILSB-0805 (0.047 to 2.2 μ H)	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
ILSB-0805 (2.7 to 33 μ H)	-	ER	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
ILSB-1206	-	ER	7	0.315 [8.0]	0.157 [4.0]	3000	-	-	-	-
IMC-0402	-	ER	7	0.315 [8.0]	0.079 [2.0]	10 000	-	-	-	-
IMC-0402-01	-	ER	7	0.315 [8.0]	0.079 [2.0]	10 000	-	-	-	-
IMC-0603	-	ER	7	0.315 [8.0]	0.157 [4.0]	4000	-	-	-	-
IMC-0603-01	-	ER	7	0.315 [8.0]	0.079 [2.0]	3000	-	-	-	-
IMC-0805-01	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
IMC-1008	-	ER	7	0.315 [8.0]	0.157 [4.0]	2000	-	-	-	-
IMC-1210	SY / AN	ER / ET	7	0.315 [8.0]	0.157 [4.0]	2000	BN	EB	-	500
	SZ / R9	ES / EU	13	0.315 [8.0]	0.157 [4.0]	7500				
IMC-1210-100	SY / AN	ER / ET	7	0.315 [8.0]	0.157 [4.0]	2000	BN	EB	-	500
	SZ / R9	ES / EU	13	0.315 [8.0]	0.157 [4.0]	7500				
IMC-1812	RV / RX	ER / ET	7	0.472 [12.0]	0.315 [8.0]	500	BN	EB	-	500
	RQ / RW	ES / EU	13	0.472 [12.0]	0.315 [8.0]	2000				



TAPE AND REEL in inches [millimeters]							BULK OR TRAY			
MODEL	PACKAGE CODE		REEL SIZE	CARRIER TAPE WIDTH (W)	COMPONENT PITCH (P)	UNITS/ REEL	PACKAGE CODE		UNITS/ TRAY	UNITS/ BOX
	LEAD (Pb)- BEARING	LEAD (Pb)- FREE					LEAD (Pb)- BEARING	LEAD (Pb)- FREE		
IMC-2220	-	ER	13	0.630 [16.0]	0.472 [12.0]	1000	-	-	-	-
IMCH-1812	-	ER	7	0.472 [12.0]	0.315 [8.0]	500	-	-	-	-
ISC-1008	-	ER	13	0.472 [12.0]	0.157 [4.0]	750	-	-	-	-
ISC-1210	SY / AN	ER / ET	7	0.315 [8.0]	0.157 [4.0]	2000	BN	EB	-	500
	SZ / R9	ES / EU	13	0.315 [8.0]	0.157 [4.0]	7500				
ISC-1812	RV / RX	ER / ET	7	0.472 [12.0]	0.315 [8.0]	500	BN	EB	-	500
	RQ / RW	ES / EU	13	0.472 [12.0]	0.315 [8.0]	2000				
LPE-3325	RY	ER	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
LPE-3325-CST	-	ER	13	0.945 [24.0]	0.472 [12.0]	1000	-	-	-	-
LPE-4841	RY	ER	13	0.945 [24.0]	0.630 [16.0]	600	-	-	-	-
LPE-5047	RY	ER	13	0.945 [24.0]	0.630 [16.0]	600	-	-	-	-
LPE-6562	RY	-	13	1.260 [32.0]	0.787 [20.0]	300	-	-	-	-
	-	ER	13	0.945 [24.0]	0.787 [20.0]	300	-	-	-	-
LPE-6855	RY	ER	13	1.260 [32.0]	0.787 [20.0]	450	-	-	-	-
LPT-3535	RH	ER	13	0.945 [24.0]	0.630 [16.0]	600	-	-	-	-
LPT-4545	RH	ER	13	0.945 [24.0]	0.630 [16.0]	600	-	-	-	-
SGIHLP-24DC-8	T	-	13	0.630 [16.0]	0.472 [12.0]	500 ⁽¹⁾	B	-	-	-
SGIHLP-34EB-8	T	-	13	0.945 [24.0]	0.630 [16.0]	500 ⁽¹⁾	B	-	-	-
SGIHLP-41FA-8	T	-	13	0.945 [24.0]	0.630 [16.0]	500 ⁽¹⁾	B	-	-	-
SGIHLP-48FA-8	T	-	13	0.945 [24.0]	0.630 [16.0]	500 ⁽¹⁾	B	-	-	-
SGIHLP-60HE-8	T	-	13	1.260 [32.0]	0.787 [20.0]	500 ⁽¹⁾	B	-	-	-
SGIHLP-73HF-8	T	-	13	1.260 [32.0]	0.787 [20.0]	250 ⁽¹⁾	B	-	-	-
SGIHLP-97OZ-8	T	-	13	1.732 [44.0]	1.260 [32.0]	100 ⁽¹⁾	B	-	-	-
SGCM05339	T	-	7	1.260 [32.0]	0.945 [24.0]	80 ⁽¹⁾	B	-	-	-

Note
⁽¹⁾ Maximum quantity that can fit on a reel. Smaller buy quantities for space grade products can be supported